## **Deanship of Graduate Studies Al-Quds University**



## Risk Factors Associated with Vitamin D Insufficiency among adolescents in Gaza Strip

#### Samar Ali Abd El-Rahman

**MPH Thesis** 

Jerusalem- Palestine

1440 / 2019

## Risk Factors Associated with Vitamin D Insufficiency among Adolescents in Gaza Strip

#### Prepared By

#### Samar Ali Abd El-Rahman

BSc. of Pharmacy Al-Azhar University Gaza – Palestine

Supervisor: Prof. Dr. Yehia Abed

Co-Supervisor: Dr. Adnan Al-Whaidy

A Thesis Submitted in Partial Fulfillment of Requirements for the Degree of Master of Public Health/Epidemiology Al- Quds University

# Al-Quds University Deanship of Graduate Studies School of Public Health



#### Thesis Approval

### Risk Factors Associated with Vitamin D Insufficiency among Adolescents in Gaza Strip

Prepared By: Samar Ali Abd El-Rahman

Registration No.: 21612184

Supervisor: Prof. Dr. Yehia Abed

Co-Supervisor: Dr. Adnan Al-Whaidy

Master thesis submitted and accepted. Date: / /
The names of signatures of the examining committee members are as follows:

1. Head of committee: Prof. Dr. Yehia Abed

2. Internal examiner: Dr. Khitam Abu Hamad

3. External examiner: Dr. Nabil Al-Baraqoni

Signature.

Signature.

Signature.

Jerusalem – Palestine

1440 / 2019

#### **Dedication**

To my mother who supported me at all times during my life, she is the best source of motivation and inspiration.

To my brothers and sisters "Shireen, Shadi, Dalia, Ghada, Mahmoud and Saif"

To my manager "Dr. Hossam El-Helou" and my colleagues who encouraged me all the time

To my friends

I dedicate this research for all of them...

Thank you all for your endless support

Samar Ali Abd El-Rahman

#### **Declaration**

I certify that this thesis submitted for the degree of Master, is the result of my own research, except where otherwise acknowledged, and this study (or any part of the same) has not been submitted for a higher degree to any other university or institution.

Signed:

Samar Ali Abd El-Rahman

..../..../....

Acknowledgment

I would like to express my deep gratitude to everyone who contributed to the success of

this work, unless their help and assistance it would not have been completed.

I would like to convey my sincere and acknowledgment to Prof. Dr. Yehia Abed for his

care, wise supervision, support and encouragement.

I would like to thank Dr. Bassam Abu Hammad and the administrative staff for kind

supervision and support.

Words could not pay their dues, to my mother for her endless love and support, who

encouraged me to join public health school and supported me throughout academic and

professional life. Thank you for your trust. You have been my ideal.

Finally, my appreciation is presented to all who provide me an advice, support,

information, or encouragement in order to complete my master study.

With respect

Samar Abd El-Rahman

ii

#### **Abstract**

In the past few years it was noticed that vitamin D level has got a growing interest as it is known to have an important role in the overall human body health and protect from many diseases such as osteomalacia, osteoporosis, cancer and cardiovascular diseases. Most of determinants of vitamin D deficiency are modifiable and can be prevented by lifestyle improvement.

The aim of study was to identify the possible risk factors for vitamin D insufficiency among adolescents in Gaza Strip to prevent adverse health outcomes and diseases and to suggest methods for prevention and management of vitamin D insufficiency. Mixed approach was used where a cross-sectional study based on collected data by Ard El-Insan in which 150 adolescents of ages between 12-17 years were selected to be tested for vitamin D levels, those 150 students were included in this study and their characteristics including: socio-demographic characteristics, nutritional habits, BMI, and micronutrients levels. In addition to five focus groups discussions (FGDs) were made to investigate other determinants such as sunlight exposure, type of dressing, physical activity and diet.

The prevalence of vitamin D insufficiency was 43.3% among study sample and adolescent females were at more risk for having insufficient vitamin D level as 54% of females and 11% of males who participated in the study had insufficient vitamin D level. Only 14% of adolescents who consumes large amounts of milk had low vitamin D level but 51% of adolescents consuming low amounts of milk had low vitamin D level. Also, 31.5% of anemic adolescent males and 80% of anemic adolescent females had low vitamin D levels. FGDs revealed that adolescents do not have enough information about vitamin D, its importance for health, consequences of vitamin D deficiency and methods of prevention.

Finally, the study concluded that vitamin D deficiency is undiagnosed and is an epidemic problem among adolescents in the Gaza Strip. The study resulted in some modifiable risk factors for vitamin D insufficiency that can be prevented such as: poor diet intake of vitamin D that can be modified by increasing the consumption of types of foods containing vitamin D (milk, egg and fatty fish), being anemic, indoor activities, low skin exposure to sunlight, covering the whole body during sunlight exposure and weak knowledge about vitamin D. Therefore, it may be beneficial to increase health awareness among children and to encourage them to eat healthy diet, play outdoor activities in order to be exposed to sunlight. Moreover, it is important to educate parents about healthy diet and importance of sunlight exposure for children for short periods of time (15-30 minutes) at least two or three times per week without sun protection that will provide them with their vitamin D requirement. Supplementation with 400 IU of vitamin D for infants and children daily is recommended.

#### **Table of Contents**

Dedication	•••••
Declaration	i
Acknowledgment	ii
Abstract	iii
Table of Contents	iv
List of Tables	viii
List of Figures	ix
List of Annexes	X
List of Abbreviation	xi
Chapter One Introduction	1
1.1 Introduction	1
1.2 Problem Statement	2
1.3 Research Justification	3
1.4 Research Objectives	3
1.4.1 Specific Objectives	3
1.5 Research Questions	4
1.6 Context of the Study	4
1.6.1 Socio-Demographic Context	4
1.6.2 Economic Context	5
1.6.3 Housing Conditions of Palestinian Adolescents	5
1.6.4 Health Care System	5
1.6.5 Child Care	6
1.6.6 School Health Program	6
1.6.7 'Ard El-Insan' Benevolent Association	6
1.7 Operational Definitions	7
1.7.1 Vitamin D Deficiency	7
1.7.2 Vitamin D Insufficiency	7
1.7.3 Rickets	7
171 Adolescence	7

Chapter Two Literature Review	8
2.1 Conceptual Framework	8
2.1.1 Vitamin D Insufficiency	9
2.1.2 Socio-demographic Characters	9
2.1.3 Type of Dressing	9
2.1.4 Nutritional Intake of Vitamin D	9
2.1.5 Body Mass Index (BMI)	10
2.1.6 Sunlight Exposure	10
2.2 Literature Review	11
2.2.1 Introduction	11
2.2.2 Prevalence of Vitamin D in Gaza Strip	11
2.2.3 Sources of Vitamin D	12
2.2.4 Absorption of Vitamin D	12
2.2.5 Vitamin D Production	12
2.2.6 Vitamin D Metabolism	13
2.2.7 Socio-economic effect on Adolescent's Nutrition	13
2.2.8 Change in Food Habits	13
2.2.9 Sunlight Exposure and Vitamin D Deficiency	14
2.2.10 Effect of Sunscreen Use	14
2.2.11 Vitamin D Supplementation	15
2.2.12 Effect of Dressing Differences on Vitamin D Level	15
2.2.13 Body Mass Index Effect on Vitamin D level	15
2.2.14 Physical Activity	16
2.2.15 Association between Vitamin D Level and Zinc Level	17
2.2.16 Association between Vitamin D Level and Hgb Level	17
2.2.17 Association between Vitamin D Level and Vitamin A Level	17
2.2.18 Importance of Vitamin D for Bone Health	17
2.2.19 Consequences of Vitamin D Deficiency	18
2.2.20 Insulin Resistance	18
2.2.21 Persons at Risk of Developing Vitamin D Deficiency	18
2.2.22 Rickets	19
2.2.23 Osteoporosis	19
2.2.24 Osteomalacia	19

	2.2.25 Primary Hyperparathyroidism (PHPT)	. 20
	2.2.28 Prevention of Vitamin D Deficiency	. 21
2	hapter Three Methodology	. 22
	3.1 Study Design	. 22
	3.2 Study Setting	. 22
	3.2.1 Quantitative	. 22
	3.2.2 Qualitative	. 22
	3.3 Study Population	. 23
	3.3.1 Quantitative	. 23
	3.3.2 Qualitative	. 23
	3.4 Eligibility Criteria	. 23
	3.4.1 Quantitative	. 23
	3.4.2 Qualitative	. 24
	3.5 Study Period	. 24
	3.6 Sample size and sampling process	. 25
	3.6.1 Sample size	. 25
	3.6.2 Sampling Process	. 25
	3.7 Study Instruments	. 26
	3.7.1 Quantitative Part	. 26
	3.7.2 Qualitative instrument	. 26
	3.8.1 Ethical Approval	. 27
	3.8.2 Administrative Approval	. 27
	3.8.3 Technical Approval	. 27
	3.8.4 Informed Consent	. 28
	3.9 Data Collection	. 28
	3.9.1 Quantitative	. 28
	3.9.2 Qualitative part	. 28
	3.10 Scientific Rigor and trustworthiness	. 29
	3.10.1 Quantitative	. 29
	3.10.2 Qualitative part	. 30
	3.11 Statistical Analysis	. 30
	3.11.1 Quantitative	. 30
	3.11.2 Qualitative	31

3.12 Limitations of the Study	31
Chapter Four Results and Discussion	33
4.1 Distribution of Study Sample According to Socio-Demographic Characteristics.	33
4.1.1 Gender	33
4.1.2 Age	34
4.1.3 Place of Residency	34
4.1.4 Parents Education Level	36
4.1.5 Parents Occupation Status	36
4.1.6 Family Size	37
4.2 Nutrition of Adolescents in the Study Sample	37
4.2.1 Milk Consumption	37
4.2.2 Egg Consumption	37
4.2.3 Fish Consumption	38
4.3 Distribution of Study Sample According to BMI	38
4.4 Micronutrients Levels for Study Sample	39
4.4.1 Vitamin D Status in the Study Sample	39
4.4.2 Hgb Level of Adolescents	40
4.4.3 Vitamin A Level of Adolescents	40
4.4.4 Zinc Level among Adolescents	40
4.5 Risk Factors of Vitamin D Deficiency	41
4.5.1 Effect of Socio-Demographic Factors on Vitamin D level	43
4.5.2 Effect of Diet on Vitamin D Level	51
4.5.3 Sunlight Exposure Effect on Vitamin D Status	54
4.5.4 Effect of Physical Activity on Vitamin D Level	55
4.5.5 Effect of type of dressing on vitamin D level	57
4.5.6 Vitamin D Status of the Study Sample According to BMI	58
4.5.7 Effect of Micro-Nutrients Levels on Vitamin D Level	59
Chapter Five Conclusion and Recommendations	
5.1 Conclusion	62
5.2 Recommendations	63
5.3 Recommendations for Future Researches	63
References	64
Annovos	60

#### **List of Tables**

Table 4.1 Distribution of study sample according to socio-demographic characteristics 35
Table 4.2 Nutrition of adolescents in the study sample
Table 4.3 Distribution of study sample according to BMI
Table 4.4 Micronutrients levels for study sample
Table 4.5 Vitamin D level of adolescents according to socio-demographic characteristics
using Chi Square
Table 4.6 Vitamin D level of adolescents according to socio-demographic characteristics
using t-test
Table 4.7 Vitamin D level of adolescents according to socio-demographic characteristics
using Chi Square50
Table 4.8 Vitamin D level of adolescents according to socio-demographic characteristics
using t-test
Table 4.9 Vitamin D level of adolescents according to diet using Chi Square51
Table 4.10 Vitamin D level of adolescents according to diet using t-test51
Table 4.11 Vitamin D level of adolescents according to physical activity56
Table 4.12 Vitamin D level of adolescents according to BMI
Table 4.13 Vitamin D level of adolescents according to micronutrients levels using Chi
Square60
Table 4.14 Vitamin D levels of adolescents according to micronutrients levels using t-test
60

#### **List of Figures**

Figure 2.1 Diagram of conceptual framework (self-developed)	8
Figure 3.1 Outline for focus groups discussions	23
Figure 4.1 Distribution of study sample according to gender	33
Figure 4.2 Distribution of study sample according to age	34
Figure 4.3 Distribution of study sample according to place of residency	34
Figure 4.4 Distribution of study sample according to parents' education level	36
Figure 4.5 Distribution of study sample according to parents' occupation status	36
Figure 4.6 Distribution of study sample according to family size	37
Figure 4.7 Distribution of vitamin D level among study sample	39

#### **List of Annexes**

Annex (1): Palestine map	69
Annex (2): Helsinki Approval	70
Annex (3): Questionnaire	71
Annex (4): Consent Form	75
Annex (5): Focus Group Discussion	76
Annex (6): Validation of questionnaire	77

#### **List of Abbreviation**

25-OHD Total Hydroxyl Vitamin D

AI Adequate Intake

BMI Body Mass Index

CDC Center for Disease Control

CVD Cardiovascular Disease

DM Diabetes Mellitus

DRI Daily Reference Intake

FGDs Focus Groups Discussions

Hgb Hemoglobin

MOH Ministry of Health

NGOs Non-Governmental Organizations

PCBS Palestinian Central Bureau of Statistics

PHPT Primary Hyperparathyroidism

SPSS Statistical Package for Social Science