#### Deanship of Graduate Studies Al-Quds University



#### Quality of Life among Caregivers of Children with Disabilities in the Gaza Strip

#### **Mariam Akram Mohanna**

**MPH** thesis

**Gaza-Palestine** 

1440-2020

#### Quality of Life among Caregivers of Children with Disabilities in the Gaza Strip

#### Prepared by:

#### Mariam Akram Mohanna

BSc of Physiotherapy- Al-Azhar University

Gaza, Palestine

Supervisor: Dr. Bassam Abu Hamad

Ph.D., Associate Professor- School of Public Health

A Thesis Submitted in Partial Fulfilment of Requirements for the Degree of Master of Public Health/Management branch School of Public Health- Al-Quds University

# Al-Quds University Deanship of Graduate Studies School of Public Health



### Thesis Approval

## Quality of Life among Caregivers of Children with Disabilities in the Gaza Strip

Prepared by: Mariam Akram Mohanna

Registration No.: 21610984

Supervisor: Dr. Bassam Abu Hamad

Master thesis submitted and accepted. Date: 11/1/2020

The names of signatures of the examining committee members are as follows:

1. Head of committee: Dr. Bassam Abu Hamad

2. Internal examiner: Dr. Asma Imam

3. External examiner: Dr. Mohammed Abudaya

Signature...

Signature.

Signature.

Jerusalem - Palestine

#### **Dedication**

Dedicated to my father and mother who suffered from my stubbornness and did nothing but loving and supporting me.

To my Abdullah and Akram who suffered from my absence and less care and only waited until I am available.

To my Mohammed who suffered from my continuous stress and deadly ambition and he only took my hand and kept me patient.

To my sisters who suffered from continuous calls for emergency help and they did nothing but left everything back and ran to me.

To my lovely friends who suffered from my complaints and wailings and they only deeply heard me and filled me with energy.

To every mother who lived with an angel and suffered silently in shadow with no complaint and no one to help.

This effort is dedicated to those surrounding treasures.

#### Mariam A. Mohanna

**Declaration** 

I certify that this thesis submitted for the degree of master is the result of my own research,

except where otherwise acknowledged, and that this thesis or any of its parts has not been

submitted for a higher degree to any other university or institution.

Signed:

Mariam A. Mohanna

Date: 11/1/2020

i

Acknowledgment

Dear respectful teacher, I thank you deeply for your continuous inspiration to do my best,

you helped me strive for goals, you gave me guidance, discipline, even friendship,

everything in one person; who is Dr. Bassam Abu Hamad. I am so grateful to my precious

teachers; Dr. Yehia Abed and Dr. Khitam Abu Hamad because they taught me how and

where to look not just taught me what to see.

Many thanks go to the experts who helped me in reviewing and revising the questionnaire

and the key informants who gave me from their time and energy.

I am also, grateful to the disability-related associations that helped and provided the

information which are Medical relief association, The National Society for Rehabilitation,

Baytona Association, Palestine Roses school, Nuseirat Rehabilitation, and Social Training

Association, Autistic children friends Association, and Future Palestine Association.

Deep thanks to all caregivers who participated in the study because without them this

thesis could not be accomplished.

With respect,

Mariam A. Mohanna

ii

#### **Abstract**

**Background** Caregivers of children with disabilities experience a stressful life with many overwhelming challenges. This study assesses the quality of life of caregivers and highlights the burden of disability they shoulder and who supports them.

Methods This study followed a mixed-method cross-sectional approach. The quantitative component was administered on a randomly selected 400 caregivers of children with disabilities interviewed at the household level, with a response rate of 99%. Qualitative data collected through 11 key informant interviews, 6 in-depth individual interviews and 7 focus group discussions with parents of children with disabilities. Quantitative data were analyzed using the SPSS software and the qualitative data were analyzed using the open coding thematic technique. Reliability test was very high.

Findings Mostly mothers are the caregivers of children with disability (93%) and in more than 30% of the visited households providing care for more than one child with disability. Interviewed caregivers mostly belonged to poor, large size families and are mostly unemployed. The study points out that the overall caregivers' wellbeing score was 58%, 20% less than the wellbeing of the general population of the Gaza Strip. Similarly, the overall caregivers' Parental Stress was reported at 55.2% with parental distress domain eliciting the lowest scores (52.4%).

Although there are many difficulties facing caregivers of children with disabilities, the financial burden was the mostly prominent one that caregivers were challenged within securing medical services (83%), education (41.8%) and recreational activities (38.4%). Transportation and adaptation of public places were also major challenges that keep caregivers and their children home-bound.

Support provided to families is mostly provided through charity lenses, mainly from social assistant programs that are not adequately disability sensitive. Caregivers received little education and counseling on how to deal with their children. Most of the support provided to children with disability was provided by close family members (above 70%), while other people in the community like taxi drivers, salesmen at shops, people at religious or recreational places were showing less support. Sadly, only nearly half of caregivers felt that doctors, nurses and other health providers are supportive. However, even those who are theoretically supportive within and outside the family are not providing actual help and as the circle widens support decreases.

Regarding forgone opportunities, 75.25% had difficulties in securing recreational activities and leisure time and also forgone opportunities for socialization, attending social events and mixing with other people challenges as well as employment. With regard to the time use among caregivers, it was found that caregiving took a lot of time leaving much less time for rest, sleep and leisure activities, as the meantime for these combined was 3.7 hours daily and this affected their level of stress and wellbeing score (r = 0.324,0.260, p-value =0.001). The previous results were similar to qualitative results.

Moreover, inferential statistics showed that having an older child, living in a poor, extended and large size family and having more than one child with disability are being associated with lower wellbeing scores and a higher level of stress with statistically significant differences in comparison with counterparts. Strangely, the type of disability and gender of the child with disability did not show differences in the level of wellbeing.,

**Conclusion** Caregivers with children with disabilities need to be targeted and supported through psychosocial programs, providing counseling and information, respite care and also financially supported. There is a need to positively change services providers and the community members attitudes about disability and also modifying the package of services to be more disability sensitive services.

#### **Table of Contents**

Dedication	
Declaration	i
Acknowledgment	ii
Abstract	iii
Table of Contents	iv
List of tables	viii
List of Figures	
List of Annexes	
List of Abbreviations	xi
Chapter One Introduction	
1.1 Background	
1.2 Research problem	
1.3 Justification	
1.4 Aim of the study	
1.5 Study objectives	
1.6 Research questions	
1.7 Context of the study	
1.7.1 Gaza demographic characteristics	
1.7.2 Political context	
1.7.3 Socioeconomic context	
1.7.4 Cultural context	5
1.7.5 Health system	6
1.7.6 Current status of disability	7
1.8 Operational definitions	9
Chapter Two Conceptual framework and Literature review	11
2.1 Conceptual framework	11
2.1.1 Quality of life	11
2.1.1.1 Physical health	11
2.1.1.2 Psychological health	11
2.1.1.3 Social relationships	11
2.1.1.4 Environment	12
2.1.2 Parental stress index	12
2.1.2.1 Parental distress	12
2.1.2.2 Parent-Child dysfunctional interaction	12
2.1.2.3 Difficult child	12
2.1.3 Caregiver's demographic characteristics	12
2.1.4 Child individual characteristics	12

	13
2.1.6 Difficulties faced by caregiver related to child disability	13
2.1.7 Cultural norms	13
2.1.8 Financial burden	13
2.1.9 Forgone opportunities	13
2.1.10 Psychosocial burden	14
2.1.11 Time use	14
2.2 Literature review	16
2.2.1 Definition of disability	16
2.2.2 Epidemiology of disability	16
2.2.3 Quality of life	17
2.2.3.1 WHO wellbeing	17
2.2.3.2 Parental stress index	23
2.2.4 Caregiver's demographic characteristics	26
2.2.5 Child individual characteristics	27
2.2.6 Service provision	28
2.2.7 Difficulties faced by caregiver related to child disability	29
2.2.8 Cultural norms	31
2.2.9 Forgone opportunities	33
2.2.10 Financial burden	35
2.2.11 Psychosocial burden	36
2.2.12 Time use	36
Chapter Three Methodology	39
3.1 Study design	
•	
3.2 Study population	
3.2.1 Qualitative part:	
3.2.2 Quantative part:	
)) Suidy Schills	
3.4 Eligibility criteria	40
3.4 Eligibility criteria	40
3.4 Eligibility criteria	40 40 40
3.4 Eligibility criteria 3.4.1 Quantitative part: 3.4.1.1 Inclusion: 3.4.1.2 Exclusion:	40 40 40
3.4 Eligibility criteria 3.4.1 Quantitative part: 3.4.1.1 Inclusion: 3.4.1.2 Exclusion: 3.4.2 Qualitative part:	40 40 40 40
3.4 Eligibility criteria 3.4.1 Quantitative part: 3.4.1.1 Inclusion: 3.4.1.2 Exclusion: 3.4.2 Qualitative part: 3.4.2.1 Inclusion:	
3.4 Eligibility criteria 3.4.1 Quantitative part: 3.4.1.1 Inclusion: 3.4.1.2 Exclusion: 3.4.2 Qualitative part: 3.4.2.1 Inclusion: 3.4.2.2 Exclusion:	
3.4 Eligibility criteria 3.4.1 Quantitative part: 3.4.1.1 Inclusion: 3.4.1.2 Exclusion: 3.4.2 Qualitative part: 3.4.2.1 Inclusion: 3.4.2.2 Exclusion: 3.5 Study period	
3.4 Eligibility criteria 3.4.1 Quantitative part: 3.4.1.1 Inclusion: 3.4.1.2 Exclusion: 3.4.2 Qualitative part: 3.4.2.1 Inclusion: 3.4.2.2 Exclusion: 3.5 Study period 3.6 Sample and sampling	
3.4 Eligibility criteria 3.4.1 Quantitative part: 3.4.1.1 Inclusion: 3.4.2.2 Exclusion: 3.4.2.1 Inclusion: 3.4.2.2 Exclusion: 3.5 Study period 3.6 Sample and sampling 3.6.1 Sample calculation	
3.4 Eligibility criteria 3.4.1 Quantitative part: 3.4.1.1 Inclusion: 3.4.2.2 Exclusion: 3.4.2.1 Inclusion: 3.4.2.2 Exclusion: 3.5 Study period 3.6 Sample and sampling 3.6.1 Sample calculation 3.6.1.1 Quantitative	
3.4 Eligibility criteria 3.4.1 Quantitative part: 3.4.1.1 Inclusion: 3.4.2.2 Exclusion: 3.4.2.1 Inclusion: 3.4.2.2 Exclusion: 3.5 Study period 3.6 Sample and sampling 3.6.1 Sample calculation 3.6.2 Sampling process	
3.4 Eligibility criteria 3.4.1 Quantitative part: 3.4.1.1 Inclusion: 3.4.2 Exclusion: 3.4.2.1 Inclusion: 3.4.2.2 Exclusion: 3.5 Study period 3.6 Sample and sampling 3.6.1 Quantitative 3.6.2 Sampling process 3.6.2.1 Quantitative part	
3.4 Eligibility criteria 3.4.1 Quantitative part: 3.4.1.1 Inclusion: 3.4.2.2 Exclusion: 3.4.2.1 Inclusion: 3.4.2.2 Exclusion: 3.5 Study period 3.6 Sample and sampling 3.6.1 Sample calculation 3.6.2 Sampling process	

3.8 Ethical and administrative considerations	44
3.9 Pilot study	45
3.9.1 Quantitative part	45
3.9.2 Qualitative part	45
3.10 Methods of data collection	45
3.10.1 Quantitative part	45
3.10.2 Qualitative part	46
3.11 Scientific rigor	47
3.11.1 Quantitative part (questionnaire)	47
3.11.1.1 Validity	47
3.11.1.2 Reliability	47
3.11.2 Qualitative part (in-depth interviews)	48
3.11.3 Response rate	48
3.12 Data entry and analysis	49
3.12.1 Quantitative part	49
3.12.2 Qualitative part	49
3.13 Limitations of the study	50
Chapter Four Results and discussion	51
4.1 Descriptive statistics	
4.1.1 Demographic characteristics of respondents	
4.1.2 Child individual characteristics	
4.1.3 Quality of life domains	
4.1.3.1 Overall wellbeing status of GS population	
4.1.3.2 Physical health domain	
4.1.3.3 Psychological domain	
4.1.3.4 Social relationship domain	
4.1.3.5 Environment domain	
4.1.4 Parental stress index	
4.1.4.1 Parental distress (PD)	
4.1.4.2 Parent-Child dysfunctional interaction (P-CDI)	
4.1.4.3 Difficult child (DC)	
4.1.5 Service provision	
4.1.6 Difficulties faced by caregiver related to child disability	
4.1.6.1 Difficulties related to child education	
4.1.6.2 Difficulties related to ADL	
4.1.6.3 Difficulties related to medical/healthcare	
4.1.7 Cultural Norms	
4.1.8 Reasons for not receiving services	
4.1.9 Forgone opportunities	
4.1.10 Psychsocial burden	
4.1.11 Time use	
4.1.11.1 Caregiver general time use	
4.2 Inferential analysis	

4.2.1	Differences in overall wellbeing in relation to demographic characteristic	cs 95
4.2.2	Differences in overall wellbeing in relation to disability characteristics	96
4.2.3	Differences in overall PSI in relation to demographic characteristics	98
4.2.4	Differences in overall PSI in relation to disability characteristics	99
4.2.5	Correlations of QoL	100
4.2.5	5.1 Wellbeing correlation with PSI	100
4.2.5	5.2 Age of CWDs correlation with overall wellbeing and PSI	101
4.2.5	5.3 Rest and leisure time correlation with wellbeing and PSI	102
Chapter Fi	ive Conclusion and Recommendations	103
5.1 Con	clusion	103
5.2 Reco	ommendations	105
5.2.1	Recommendations for new areas of research	106
References		108
Annexes		117

#### **List of Tables**

Table (3.1): Illustration of the various instruments used in the study	42
Table (3.2): Reliability estimates for domains and the entire scale	48
Table (4.1): Distribution of caregivers' responses by demographic characteristics	52
Table (4.2): Distribution of CWDs according to demographic characteristics	55
Table (4.3): Summary of wellbeing domain scores and overall QoL	
<b>Table (4.4):</b> Distribution of responses of caregivers by the physical domain of	
wellbeing	59
<b>Table (4.5):</b> Distribution of responses of caregivers by the psychological domain of	
wellbeing	60
<b>Table (4.6):</b> Distribution of responses of caregivers by the social relationships domain	
of wellbeing	62
Table (4.7): Distribution of responses by the environmental domain of QoL	
Table (4.8): Summary of PSI domains and overall parental stress	65
Table (4.9): Distribution of responses by parental distress domain of PSI	67
Table (4.10): Distribution of responses of caregivers by P-CDI domain of PSI	69
Table (4.11): Distribution of responses of caregivers by DC domain of PSI	70
<b>Table (4.12):</b> Distribution of responses of caregivers by service provision in the study	
period	72
<b>Table (4.13):</b> Distribution of caregiver responses related to difficulties faced due to	
child disability in education	76
Table (4.14): Distribution of caregiver responses related to difficulties faced due to	
child disability in ADL	78
Table (4.15): Distribution of responses of caregivers by difficulties due to child	
disability in medical/healthcare	80
Table (4.16): Distribution of responses of people's attitudes to the CWD with regard	
to disability	82
Table (4.17):         Distribution of responses of caregivers reasons for not receiving	
services	85
Table (4.18): Distribution of responses by forgone opportunities	87
Table (4.19): Distribution of responses of caregivers by the social burden	89
Table (4.20): Distribution of responses of caregivers by general time use	91
Table (4.21): Distribution of responses by time adults spent caring for household	
children in hours	93
Table (4.22): Differences in overall wellbeing in relation to demographic	
characteristics	95
Table (4.23): Differences in overall wellbeing in relation to disability characteristics	97
Table (4.24): Differences in overall PSI in relation to demographic characteristics	98
Table (4.25): Differences in overall PSI in relation to disability characteristics	100
Table (4.26): Correlations of OoL	101

#### **List of Figures**

Figure (2.1): Conceptual framework of the study	15
Figure (4.1): Wellbeing domain scores	57
Figure (4.2): General wellbeing satisfaction of caregivers	57
Figure (4.3): Parental stress domains and overall stress domains	65
Figure (4.4): Caregiver responses on financial exhaustion due to disability	86
Figure (4.5): Time spent by caregivers on rest and leisure including sleep	92
Figure (4.6): Correlation between overall wellbeing and PSI	101
Figure (4.7): Correlation between overall wellbeing and rest, sleep and leisure	102
<b>Figure (4.8):</b> Correlation between overall PSI and rest, sleep and leisure	102

#### **List of Annexes**

Annex (1) Study activities time table	117
Annex (2) Sample size calculation by Epi Info.	118
Annex (3) Quantitative study instruments	119
Annex (4) FGD questions/ domains	142
Annex (5) IDI with siblings	143
Annex (6) KII Questions.	144
Annex (7) List of Key informants interviewed	145
Annex (8) An official letter of approval from Helsinki Committee in the Gaza Strip	146
Annex (9) Administrative Approvals from The National Society for Rehabilitation	147
Annex (10) Administrative Approval from Medical relief association	148
Annex (11) List of arbitrators	150
Annex (12) Budget	151

#### **List of Abbreviations**

**ADL** Activities of Daily Living

**ASD** Autism Spectrum Disorder

**CBR** Community-Based Rehabilitation

**CP** Cerebral Palsy

**CWDs** Children with Disabilities

**DC** Difficult Child

**FGDs** Focused Group Discussions

GS Gaza Strip
HH Household

**ID** Intellectual Disability

**IDI** In-depth individual interviews

**KII** Key Informant Interviews

**LS** Life Satisfaction

**MOE** Ministry of Education

**MOH** Ministry of Health

MOSD Ministry of Social Development

**NGOs** Nongovernmental Organizations

**OECD** The Organisation for Economic Co-operation and Development

PA Palestinian Authority

**PCBS** Palestinian Central Bureau of Statistics

**P-CDI** Parent-Child dysfunctional interaction

**PD** Parental Distress

**PIMD** Profound Intellectual and Multiple disabilities

**PNCTP** Palestinian National Cash Transfer Program

**PSI** Parental Stress Index

**PWD** People with Disability

**QoL** Quality of Life

**UN** United Nations

**UNICEF** UN Children's Emergency Fund

UNRWA United Nations Relief and Works Agency for Palestine Refugees in the

Near East

WHO World Health Organization