

-

2014 - 1435

:

.


:

/

/

-

2014 - 1435




/

21011231 :

.. :

:

2014/6/8



:  
:  
:

.. :  
.. :  
.. :

.1  
.2  
.3

-

....

...

....

...

...

...

-


...

...

...

.

:



. 2014/ 6 / 8 :



:

:

" (Holter) :

"

.(1987 )

:

" :

.(Broderick, 1979,P.290) "

:: :

16,000

10

789

.(2009 ) 4

:

:

(282)

(SPSS)

(3.11)

:

(0.715)

(36-31)

:



# **Anxiety of death among pregnant women in the light of some variables in the Bethlehem governorate**

Prepared by: Ameera Jubran.

Supervisor: Dr. Omar Al-Rimawi

## **Abstract:**

The study aimed to identify the anxiety of death among pregnant women in the light of some of the variables in Bethlehem, according to the independent variables of the following: age, qualification, place of residence, and number of pregnancies, the number of abortions, and mother's work, using the descriptive approach. To achieve the objectives of the study the researcher were applied Death Anxiety Scale available on a sample of pregnant women who attend to the special women's clinics, which reached their number (282) pregnant mother.

After the process of collecting questionnaires , the data processed statistically using the Statistical program for Social Sciences (SPSS), which showed the results of this study, the degree of death anxiety among pregnant women in the province of Bethlehem was average with a mean degree (3.11) and the standard deviation of degree (0.715), as well as the results showed statistically significant differences in both: the degree of death anxiety in pregnant women due to the variable age for the age (31-36 years), and the degree of death anxiety among pregnant women due to the variable place of residence for the benefit of the city's population, and the degree of death anxiety among pregnant women due variable mother's work and the differences were in favor of a working mother. And showing no statistically significant differences in both: the degree of death anxiety in pregnant women due to the variable qualification for the mother, and the degree of death anxiety in pregnant women due to the variable number of pregnancies, and the degree of death anxiety in pregnant women due to the variable of the number of times an abortion.

In light of what has been reached from the results the researcher recommends the need for further scientific studies and researches that deal with identification of the death anxiety among pregnant women, and the need for the introduction of awareness programs dealing with education and psychological health of expectant mothers, about the nature of the psychological changes and emotional disorders that occur on the mother in this stage, and how to deal with them to provide greater emotional balance.

•

•

•

-

•

-

•

-

•

-

•

-

•

-

•

-



: 1.1

" " .  
" " "  
" " .  
" "

.(1987 )

.(2007 )

.(Yalom, 2009)

:

(1981 )

(Taylor, 1980)

(smart,M.&SmartR.1977)

.(Beische, 1997)

( 2010 ) .

## 2.1

"

"

-

-

"

"

)

.(

3.1

:

•

•

):

(

4.1

:

( $\alpha \leq 0.05$ )

•

( $\alpha \leq 0.05$ )

•

( $\alpha \leq 0.05$ )

•

( $\alpha \leq 0.05$ )

•

( $\alpha \leq 0.05$ )

•

$(\alpha \leq 0.05)$

•

5.1

-:

:

:

.1

.2

.3

:

:

:

.1

-

-

-

.2

**6.1**

:

- 
- 

.)

**7.1**

:

:

:

(.2014 -2013)

:

:

:



⋮

•

•

•

---

· :  
1.2

·  
% 40 30

·  
( )

( )  
(1986 )

(2002 )

."  
."  
(1987 )

" (484:1977 )

."  
:

" : (342:1997 )

."

" (134:2003 )

:

."

: 2.1.2

.(2003 )

.(1991 )

" "

.

.

.(12:1987 )

.(May, 1977)

: 3.1.2

.(2004 )

" " "

.(38:1987 ) "

" " "

.(38:1987 ) "

" (1998)

."

: 4.1.2

:

.(1995 )

(1987)

:

.1

.2

.3

.4  
.5  
.6  
.7  
.8  
.9

: (2007)

.1  
.2  
.3  
.4  
.5  
.6

: 5.1.2

(1977)

:  
.1  
.2  
.3  
.4  
.5  
.6  
.7

## 6.1.2

(1987)

(1987)

(1987)

(1980 )

(1980 )

: 7.1.2

.(1985 )

.(1960 )

( . 1300)

.(1985 )



)

.(1976

(1981 )

" "

"

"

" "

( )

.(1982 )

"

." ( )

.(1977 )

" "

(Millre)

(Mowrer)

( - )

(Congenital Analysis)

( )

.(2001 )

:

8.1.2.

:

:

(105:1995)

"

"

(1998)

(2007)

( )

"

.(2003 ) "

(pouseweeh)  
(Basskal)

(2000)

" (Fromm)

.(36-35:1993 ) "

:

:

:

.(2000 )

" "

" "

.(1998 )

:

-(2007)

-

:

(Horney)

.(1998 )

:

( )

(2001)

:

-

-

-

:

(1995)

## 2.2

(1977)

:

(1991)

: 1.2.2

" (27 :2002 )

"

" (2008)

."

:

2.2.2.

- (1977)

-

.(1977 )

(2008)

:

( )

( 37 )

( " " ; )

(1977 )

(2003 )

( ) " "

18

45

.(2008 )

.(2010 )

(Bardwick, 1971)

:

:

-1



.(Williams, 1977)

: -2

(1973)

.(Flook, 1973)

: -3

: -4

: -5

36 – 18

45 – 36

:

### 3.2.2

)

:(1995

.1

.2

.3

.4

.5

.6

:

### 3.2

.(1977 )

" ( )

(89:2000 )

."

":

(55:2002

)

."

(9)

: 1.3.2

( )

" " " " ( )

( )  
(1989 )

4.2

: 1.4.2

(1988)

" (86:2000 )  
( )  
." ( )

" (477:2002 )

) "

20

.(2008

" (2008 )

"

: 2.4.2

: (2008 )

threatened Abortion : -1

Inevitable Abortion : -2

:

Incomplete Abortion : -3

Complete Abortion : -4

Missed Abortion :( ) -5

Recurrent Abortion : -6

: (2008 )

: -1

)  
(

: -2

: -3

: -4

.(sle)

:

: **3.4.2**

:

-

-

.

:

.

.(2000 )

.(2004 )

(2008)

" " ;  
 .(2000 )  
 (2010)  
 68 2000  
 35  
 (117000) "  
 (18000)  
 "

.(2004 )

**Intrauterine Fetal Death**

**4.4.2**

(20)

" (2000)

" %1

%50

: 5.4.2

(1993)

:

: -1

:( ) -2

: -3

: -4

: : -5

(1987)





.5.2

: 1.5.2

(2010) •

(203) - 2009-10-30 2009-10-20

(2001) •

(150)

(1989)

•

(35)

(107)

:

:

.2.5.2

(Aresnault & Donato, 2010)

•

" "

" "

( )

(63)

(%58.7)

(Simmons & Goldberg, 2010)

•

:

(73)

" "

(Couto, et al, 2009)

•

)

(

)

.(

)

(

(120)

(1)

:

(240)

(2)

24-18

(120)

(Gaudet, 2009)

•

( )

(96)

)

( )

(74)

(

(Katrina, et al, 2008)

•

1997

.2007

( )

( )

(Trulsson & Radestad, 2004)

•

" "

( 18 - 6)

( )

(Gantsweg,2001)

•

(91)

(Poveda, et al, 2001)

•

(25.2)

(18)

(226)

1829

.1999

( )

(Gerber, et al, 2000)

•

:

(13)

:

(7)

.( )

5

%75

%30

% 80

(Franche & Mikail, 1999)

•

.( )

(31)

(31)

(24 - 10 )

( )

( )

(Rasmusser & Brems, 1996)

•

(80 -18)

(196)

:

3.5.2

:

:

(Poveda, et al, 2001) (Gantsweg,2001)

.(Rasmusser & Brems, 1996)

Trulsson & Radestad, (Gerber, et al, 2000) (Franche & Mikail, 1999)



(Couto, et al, 2009) (Gaudet,2009) (Katrina, et al, 2008) (2004  
(Aresnault,& Donato 2010) (Simmons & Goldberg, 2010))  
. (2010) (2001) ) (1989)

)

(

.

.

.

:

:

(2010 )

(Rasmusser&Brems,1996)

Aresnault& Donato

.(Gaudet,2009) (Simmons & Goldberg 2010) (2010)

:

"

"

.



---

:

**1.3**

):

(

**2.3**

**3 .3**

.2014/2013

**4 .3**

(282)

(282)

(1.3)

:(1.3)

47.2	133	24-18	
32.3	91	30-25	
16.0	45	36-31	
4.6	13	37	
	282		
8.2	23		
46.8	132		
45.0	127		
	282		
40.4	114		
10.3	29		
49.3	139		
	282		
33.0	93		
27.0	76		
17.0	48		
23.0	65		
	282		
70.6	199		
19.1	54		
6.0	17		
4.3	12		
	282		
20.6	58		
79.4	224		
	282		

(1998 ) (1987 )

(1993 )

:

.

( ) ( ) :  
.( ) ( ) ( )

.

(7)

.(5) (23)

.

:

.

(Pearson Correlation)

:(2.3)

	R			R			R	
0.00	0.5580	17	0.000	0.3660	9	0.00	0.4260	1
0.00	0.6230	18	0.000	0.4320	10	0.00	0.5690	2
0.00	0.4470	19	0.000	0.6390	11	0.00	0.3720	3
0.00	0.6370	20	0.000	0.6080	12	0.00	0.5850	4
0.00	0.1800	21	0.000	0.6240	13	0.00	0.5560	5
0.00	0.5210	22	0.000	0.7100	14	0.00	0.5780	6
0.00	0.4350	23	0.000	0.6130	15	0.00	0.6370	7
			0.000	0.5830	16	0.00	0.6330	8

. Correlation is significant at the 0.01 level (2-tailed).

. Correlation is significant at the 0.05 level (2-tailed).

(0.88)

## 6.3

:	.1
.	.2
.	.3
.	.4
.	.5
(282)	.6
.	.7
.(SPSS)	.8

## 7.3

:	.1	
:		
37 -4      36 - 31-3      30-25 -2      24 -18 -1 :	.1	
-5      -4      -3      -2      -1 :	.2	
	-6	
	-3      -2      -1 :	.3
-4      -3      -2      -1 :	.4	



-4	-3	-2	-1 :	.5
		-2	- 1 :	.6
			:	.2

**8.3**

( )

t- ) ( )

Statistical ) (SPSS)

(One Way ANOVA)

(test

(Cronbach Alpha)

.(Package For Social Sciences

•

•

•

-

•

■

•

-

•

■

•

■

•

■

•

■

•

■

-

---

1 .4

"

"

(2.33)  
(3.67-2.34)  
(3.68)

2.33	
3.67-2.34	
3.68	

2.4

: 1.2.4

:(1.4)

	1.226	4.12		22
	1.224	3.98		9
	1.245	3.97		17
	1.205	3.93		3
	1.194	3.93		10
	1.310	3.90		2
	1.249	3.74		7
	1.478	3.74		21
	1.485	3.18		18
	1.475	3.09		20
	1.367	3.02		12
	1.366	2.99		8
	1.465	2.99		14
	1.374	2.88		4
	1.547	2.80		23
	1.336	2.77		5
	1.414	2.63		1

	1.260	2.53		11
	1.366	2.53		13
	1.266	2.52		16
	1.269	2.49		6
	1.393	2.22		15
	1.102	1.70		19
	.715	3.11		

(0.715)

(3.11)

(13)

(8) (1.4)

"

.

"

(4.12)

"

"

"

.(3.98)

"

"

"

(1.70)

.(2.22)

)

(

) :  
(Franche & Mikail, ) (2010 ) (2001 ) (1989  
Couto, ) (Gaudet,2009) (Katrina, et al, 2008) (Gerber, et al, 2000). 1999  
(et al, 2009

: 2.2.4

)  
(

:

:

$(0.05 \geq \alpha)$

"

"

:(2.4)

0.706	3.100	133	24-18
0.764	2.997	91	30-25
0.539	3.467	45	36-31
0.648	2.906	13	37

(2.4)

:

(one way ANOVA)

:(3.4)

	" "				
0.002	5.068	2.485	3	7.455	
		.4900	278	136.302	
			281	143.757	

(LSD)

(LSD) :(4.4)

0.281	0.102	30-25	24-18
0.003	0.367	36-31	
0.342	0.193	37	
0.281	0.102	24-18	30-25
0.000	0.470	36-31	
0.662	0.090	37	
0.003	0.367	24-18	36-31
0.000	0.470	30-25	
0.011	0.561	37	
0.342	0.193	24-18	37
0.662	0.090	30-25	
0.011	0.561	36-31	

(0.002)

(5.068)

(0.05 ≥ α)



36-31

36-31

30

Rasmusser &

(Brems, 1996)

$(0.05 \geq \alpha)$

:(5.4)

0.674	2.986	23	
0.700	3.063	132	
0.734	3.194	127	

(5.4)

: (one way ANOVA)

:(6.4)

	" "				
0.225	1.502	0.765	2	1.531	
		0.510	279	142.226	
			281	143.757	

(0.225)

(1.502)

(0.05  $\geq$   $\alpha$ )

( )

:

$(0.05 \geq \alpha)$

"

"

:(7.4)

0.753	3.25	114	
0.780	3.08	29	
0.651	3.00	139	

(7.4)

:

(one way ANOVA)

:(8.4)

	" "				
0.023	3.838	1.925	2	3.849	
		0.501	279	139.907	
			281	143.757	

: (LSD)

(LSD) :(9.4)

0.258	0.167		
0.006	0.247		
0.258	0.167		
0.580	0.080		
0.006	0.247		
0.580	0.080		

(0.023)

(3.838)

(0.05 ≥ α)

( )

:

$(0.05 \geq \alpha)$

"

"

:(10.4)

0.738	3.05	93	
0.675	3.21	76	
0.646	3.13	48	
0.775	3.06	65	

(10.4)

:

(one way ANOVA)

:(11.4)

	" "				
0.4680	0.8490	0.4350	3	1.305	
		0.5120	278	142.452	
			281	143.757	

(0.468)

(0.849)

( $0.05 \geq \alpha$ )

( )

:

(0.05 ≥ α)

"

"

:(12.4)

0.732	3.14	199	
0.601	3.05	54	
0.833	3.09	17	
0.782	2.98	12	

(12.4)

:

(one way ANOVA)

:(13.4)

	" "				
0.793	0.345	0.178	3	.5330	
		0.515	278	143.223	
			281	143.757	

(0.793)

(0.345)

( $0.05 \geq \alpha$ )

Couto, et al, ) (Gaudet,2009) (Franche & Mikail, 1999) :

(Aresnault,& Donato 2010) (Simmons & Goldberg), 2010) (2009



:

$(0.05 \geq \alpha)$

"

" "

"

" "

:(14.4)

	"t"				
0.030	2.201	.696	3.29	58	
		.714	3.06	224	

(0.030)

(2.201)" "

( )

: 3.4

:

.1

.2

.3

.4

.5

:

\_\_\_\_\_

( ) :(1976) .1

.6 .

:(1977). .2

:(2003). .3

:(2000). .4

:(1985). .5

:(1981) . .6

.89\_80

:(2003) . .7

.58 -26 (88)

:(1995). .8

: .3

1 . :(1989). .9

:(1991). .10

- - :(1988). .11

1

.	3	:(1977) .	.12
.	:	:(1998) .	.13
.	.	:(1981) .	.14
.	.3676-365	.	.
.	.	:(2007).	.15
.	.	.	.
.	:	:(2002) .	.16
.	.72-9 (4)26	( )	.
.	.	:(2007) .	.17
(	)	.	.
.	.	.67-9 (3)31	.
.	1	:(1987).	.18
.	.	:(1998) .	.19
.	.	.	.
.	.	:(2001) .	.20
.	.	.	.
.	.	:(2003).	.21
.	.	.	.
.	.	:(2004) .	.22
.	.	.	.
.	.	:(1995).	.23
.	120-104	35	.

.217-5 (111)	:(1987).	.24
:	:(1993).	.25
.1	:(2001) .	.26
-	:(1993).	.27
.	:(2001).	.28
.	:(2008).	.29
.	:(2004).	.30
.	:(2003) .	.31
:	:(2008)	.32
:(1989).		.33
.114 - 139 , -	:(1960).	.34
.1 .	:(2002)	.35
:(2000) .		.36
:	:(1995) .	.37

1	:(1997)	.38
	:(2008)	.39
	:(1980)	.40
	.(2010)	.41
	:(1982)	.42
	:(2008)	.43
.1	:(2008)	.44
.1	:(2000)	.45
	:(1991)	.46
.124 -111 (1)		
	:(1977)	.47
	:(2010)	.48
	.(2009)	.49

:

1. Abdel – Khalek, A.(1986): **The structure and measurement of death obsession personality and Individual Differences**, The Arts in Psychotherapy 24 159-165.
2. Bardwick,J.(1971): **Psychology of women**,New York p.212.
3. Beischer,N.(1997):**Obstetric&The Newborn**.3rd edition, London. W.B. Saunders Company Ltd.
4. Broderick,C.(1979): **Marriage and the family**, New Jersey:Prentice-Hall,Inc.
5. Caroline Gaudet (2009): Pregnancy after perinatal loss: association of grief, anxiety and attachment.university Toulouse 2 Le Mirail. France.**journal of reproductive and infant psychology** , Vol> 28, No> 3, august 2010, 240-251.
6. Denise Cote-Arsenault and Kara Donato (2010): Emotional cushioning in pregnancy after perinatal loss. new York, USA.**journal of Reproductive and Infant Psychology** , Vol> 29, No> 1, February 2011, 81-92.
7. Evelyn Regina Couto, Egle Couto, Bruna Vian, Zoraide Gregorio,,(2009): Quality of life, depression and anxiety among pregnant women with previous adverse pregnancy outcomes. **Journal of Reproductive and infant psychology**, Vol 29,no> 1, February 2011, 81-92.
8. Flook EtaI,1973,"**Maternity nursing to day**"SanfranciscoMC Graw\_Hill Book CompanyP.210.

9. Gantsweg,J.(2001).**Gender self- construal, and Death Anxiety within a Jewish Community sample.**(Doctoral Dissertation university of California-San Diego Dissertation Abstract International 62/100p.4748.
10. Gerber SE,& Others(2000). **Maternal Quality of life in the First Year Following Delivery:** Development of a New Assessment Tool, Institute for Health Services Research and Policy Studies, Department of Obstetrics and Gynecology, Northwestern University.
11. Joanne Cacciatore, Ingela Radestad and Frederik Froen(2008): **Effects of Contact with Stillborn babies o Maternal Anxiety and Depression.**USA.
12. Katrina J. Debackere, Pamela D. Hill, and Karen L. Kavanaugh (2008): **The Parental Experience of Pregnancy After Perinatal Loss.** University of Illinois at Chicago, Quad Cities REGIONAL Program.
13. May, Rollo R. (1977)**The Meaning Of Anxiety** W.W Norton&Company,Inc. New York.
14. Otti Trulsson, and Ingela Radestad(2004): **The silent child- mothers experiences before, during, and after stillbirth.** Sweden.
15. Poveda ,M, Royo ,G, Aldemunde,P,Fuentes,C,Juan,T,Ortola,P, & Oltra ,M.(2000) :**" Anxiety About Death In Primary Care: Relation With Freguency Of Consultation And Psycho Morbidity Of Patients". A Ten Primaria** ,Vol26, No,7 ,pp 446-452.
16. Rasmussen,C.A.,&Brems,C.(1996).The relationship of death anxiety with age and psychosocial maturity.**Journal of Psychology**,130,141-144.



17. Renee- louise Franche and Samuel. Mikail(1999): the impact of perinatal loss on adjustment to subsequent pregnancy. Canada.**social Science & Medicine** 48 (1613 – 1623).
18. Simmons and others (2010): High-risk pregnancy after perinatal loss: understanding the lable. University Ave, **Canada.Midwifery** 27 452-457.
19. Smart,M.&SmartR.(1977),"**Children development and relation\_ships** New York,Macmilan Publishing Co.Inc,Third edition.
20. Taylor,s.(1980),"**The Association between Pregnancy anxiety and self concept in married primigravidae**,Dissertation Abstr. Internationai vol.41No.6P.2470.
21. Williams,J.(1977)"**Psychology of women**,New York,W.W. Norton and Company Inc.P.277.
22. Yalom ,I. (2009) **Staring at the Sun overcoming the terror of death**.Jossey - Bass, San Francisco.



:  
(1):

Al-Quds University  
Faculty of Educational Science  
Graduate Studies Programs

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ



جامعة القدس  
كلية العلوم التربوية  
برامج الدراسات العليا

الرقم: ب د ع 14/02/210  
التاريخ: 2014/02/8

لمن يهمه الأمر

الموضوع: تسهيل مهمة

تحية طيبة وبعد،،  
تقوم الطالبة: اميرة خضر جبران ورقمها الجامعي (21011231)، بدراسة تتعلق برسالة ماجستير،  
بعنوان  
" قلق الموت لدى المرأة الحامل في ضوء بعض المتغيرات في محافظة بيت لحم "  
لذا يرجى من حضرتكم تسهيل مهمة الطالبة المذكورة أعلاه والتعاون معها، ولتطبيق الدراسة خلال  
الفصل الثاني 2014/2013.

شاكرين لكم حسن تعاونكم

والله الموفق

د. عمر الريماوي  
منسق برنامج الإرشاد النفسي والتربوي / كلية العلوم التربوية  
حاضرة علم النفس  
Psychology Dept.  
Al-Quds University

:(2)

/		.	.1
		.	.2
		..	.3
		.	.4
		.	.5
		.	.6
		.	.7
		.	.8

(3)

( )

/ ..... / /

"

"

"

"

.

.

.

: \_\_\_\_\_

:

37 □    36 - 31 □    30 - 25 □    24 - 18 □    :

□        □        □        □        □        □ :

□        □        □ :

□        □        □        □ :

□        □        □        □ :

□        □ :

			-1
			-2
			-3
			-4
			-5
			-6
			-7
			-8
			-9
			-10

			-11
			-12
			-13
			-14
			-15
			-16
			-17
			-18
			-19
			-20
			-21
			-22
			-23
			-24
			-25
			-26
			-27

			-28
			-29
			-30
			-31
			-32



:(4)

	5
	10
	11
	12
	13
	18
	21
	22
	23
	31

ملحق رقم (5): مقياس قلق الموت في صورته النهائية

أختي الكريمة...

"

"

/

-

-

:\_\_\_\_\_

:

37

36 -31

30-25

24 -18  :

:

:

:

:

:

درجة قليلة جدا	درجة قليلة	درجة متوسطة	درجة كبيرة	درجة كبيرة جدا	
					1
					2
					3
					4
					5
					6
					7
					8
					9
					10
					11
					12
					13
					14
					15
					16

						17
						18
						19
						20
						21
						22
						23

75		1
76		2
77	( )	3
81		4
82	مقياس قلق الموت في صورته النهائية	5

45		3.1
47	(Pearson Correlation)	3.2
52		4.1
55		4.2
55		4.3
56	(LSD)	4.4
57		4.5
58		4.6
59		4.7
59		4.8

60	(LSD)	4.9
61		4.10
61		4.11
62		4.12
63		4.13
64	" "	4.14

	:	
.....		
.....		
.....	:	
.....	:	
.....	:	Abstract
1.....	:	
2.....	:	1.1
4.....		2.1
5.....		3.1
5.....		4.1
6.....		5.1
7.....		6.1
7.....		7.1
8.....	:	
9.....		1.2
10.....	:	1.1.2
11.....	:	2.1.2
12.....	:	3.1.2
12.....	:	4.1.2
13.....	:	5.1.2



14.....	6.1.2
15..... :	7.1.2.
17..... :	8.1.2.
20.....	2.2
20..... :	1.2.2
21..... :	2.2.2.
25..... :	3.2.2
25..... :	3.2
26..... :	1.3.2
26.....	4.2
26..... :	1.4.2
27..... :	2.4.2
28..... :	3.4.2
30..... Intrauterine Fetal Death	4.4.2
31..... :	5.4.2
33.....	.5.2
33..... :	1.5.2
34..... :	.2.5.2
39..... :	3.5.2

42.....	:	
43.....		1.3
43.....		2.3
43.....		3.3
43.....		4.3
45.....		5.3
47.....		6.3
47.....		7.3
48.....		8.3
49.....	:	
50.....		1.4
51.....		2.4
51.....	:	1.2.4
53.....	:	2.2.4
65.....	:	3.4
66.....	:	
73.....		
74.....	:	
84.....		
85.....		